

Art No	Name and description	Price in NOK
--------	----------------------	--------------

1000 PLT Launching unit without air cylinder and cover
 Launching Unit without air cylinder and cover.



1005 PLT Launching unit
 Launching Unit with air cylinder and cover.
 Contents:
 1 Art No 1306 Air Cylinder
 1 Art No 1000 Launching Unit
 1 Art No 1017 Cover for air cylinder








1006 PLT Launching unit US
 Launching Unit with air cylinder (certified for the US and Canadian market) and cover.
 Contents:
 1 Art No 1307 Air Cylinder
 1 Art No 1000 Launching Unit
 1 Art No 1017 Cover for air cylinder







1013 Firing valve



Art No	Name and description	Price in NOK
		
1017	Cover for air cylinder	
		
1021	Reduction valve complete	
		
1031	Safety valve	
1050	Complete set of packing and o-rings Packings and O-rings for the PLT Launching Unit	
		
1054	Hatch lock w. loop 2 pcs	
1303	Launching tube Rescue 230 Launching Tube for Rescue 230 projectile and the Art No 1005/1006.	

Art No	Name and description	Price in NOK
1306	<p>Air cylinder complete</p> <p>Air Cylinder w/ closing valve. 1,45 liter (50 fl oz). Work pressure 300bars/4350psi</p>	
1307	<p>Air cylinder US complete</p> <p>Air Cylinder w/ closing valve. 1,45 liter (50 fl oz), certified for the US and Canadian market. Work pressure 200bars/2900psi</p>	
1308	<p>Adapter 200/300 bar (Yoke-DIN477)</p> <p>Adapter for filling of the air cylinder from Yoke 200 bars (2900psi) standard.</p>	
1309	Closing valve w/ manometer	
1310	<p>Air filling hose w/ connections</p> <p>Air filling hose with couplings and pressure releaser.</p>	

Art No	Name and description	Price in NOK
1502	<p>Pivot support Used for a safer handling of the PLT. Fits into the Pivot Tube (Art No 1503).</p>	
1503	<p>Tube for pivot support Shall be welded at a convenient spot for launching the PLT.</p>	
2000	<p>PLT Rescue 230 complete PLT Rescue 230 complete according to IMO/Solas 74/83, Line Throwing apparatus. Contents: 1 Art no 1005 PLT Launching unit 1 Art no 1303 Launching Tube Rescue 230 4 Art no 2101 Projectile Rescue 230 1 Art no 2200 Loading Device 1 Art no 3303 Launching Tube 125/150 1 Art no 7004 Projectile PLT 150 1 Art no 6201 Linebox 5mm floating line 1 CD/User Manual Typical shooting range with a dry and clean line of 3,2mm(Art No 2103): 230m Breaking strength : 2000N USCoastGuard approval number 160.040/EC0575/6519</p>	
2001	<p>PLT Rescue 230 US complete Same as Art No 2000, certified for the US and Canadian market (Art No 1006 instead of Art No 1005). USCoastGuard approval number 160.040/EC0575/6519</p>	

Art No	Name and description	Price in NOK
--------	----------------------	--------------

2101 Projectile Rescue 230
 Projectile for PLT Rescue 230.
 The line is stored inside the projectile. Made from ABS plastic and aluminum. The Rescue projectile must never be launched without the end plug (art No 2104).
 Typical shooting range with a dry and clean line of 3,2mm (Art No 2103): 230m
 Breaking strenght : 2000N



2103 Safety line projectile Rescue 230
 Safety Line for Art No 2101, 3.2mm.
 Comes on a spool of 250 meters. Breaking strength 2000N.







2104 End plug for projectiles with internal line
 End plug for Projectile Rescue 230 (art no 2101), Projectile PLT 125 (art no 3101) and Projectile PLT Mini 100 (art no 4101). The projectile must never be fired without the end plug.



2105 Line 2mm hollow braided Dyneema
 Safety Line for Art No 2101 or 4101, 2mm.
 Comes on a spool of 350 meters. Breaking strength 7800N.



Art No	Name and description	Price in NOK
2200	<p>Loading device Projectile Rescue 230</p> <p>Loading Device for Art No 2101, Projectile Rescue 230. Connect to a low pressure source, 5-8 bars/75-110psi, it will blow the safety line back into the projectile.</p>	
3101	<p>Projectile Rescue 150</p> <p>The line is stored inside the projectile. Made from ABS plastic and aluminum.</p> <p>Typical shooting range with a dry and clean line of 3,2mm(Art No 2103): 150m</p> <p>Breaking strength : 200kg</p>	
3200	<p>Loading device projectile Rescue 150</p> <p>Loading Device for Art No 3101, Projectile Rescue 150. Connect to a low pressure source, 5-8 bars/75-110psi, it will blow the safety line back into the projectile.</p>	
3303	<p>Launching tube 150</p> <p>Launching Tube for Rescue 150 and PLT 150 projectiles.</p>	

Art No	Name and description	Price in NOK
--------	----------------------	--------------

4000 **PLT Mini complete**
 Contents:
 1 art no 4020 PLT Mini Launching unit
 1 art no 4006 CO2 cartridge 4-pack
 2 art no 4101 Projectile PLT Mini 100
 1 art no 4102 Projectile PLT Mini-rubber
 1 art no 4200 Loading device
 1 art no 4202 Linebox PLT Mini 2mm nylon
 1 Digital and soft copy User Manual
 Typical shooting range with a dry and clean line of 2mm (Art No 4110) and Projectile PLT Mini 100 art no 4101: 100m.
 Typical shooting range with a dry and clean line of 2mm (Art No 4110) and Projectile PLT Mini-rubber art no 4102 : 90m.
 Breaking strength : 190kg
 The PLT Mini is a light version shoulder launched PLT.



4000U **PLT Mini complete without CO2**
 The PLT Mini is a light version shoulder launched PLT. This is the standard package which is the same as Art No 4000, without CO2.



4006 **CO2 cartridge, 4-pack**
 Disposable 33 gram CO2 cartridges. Comes in a 4-pack. Note that these can be shipped by Air as dangerous goods.



Art No	Name and description	Price in NOK
--------	----------------------	--------------

4020 PLT Mini Launching Unit
 The PLT Mini can be used either with CO2 cartridges (art no 4006) or by compressed air. The shooting length will be app the same.







4021 PLT Mini Launching Unit Black
 Same as art no 4020, but in black version.



4060 PLT Mini Complete Rescue Pack
 Contents:
 1 art no 4020 PLT Mini Launching unit
 5 art no 4006 CO2 cartridge 4-pack
 2 art no 4101 Projectile PLT Mini 100
 1 art no 4102 Projectile PLT Mini-rubber
 1 art no 4104 Lightstick (5-pack)
 1 art no 4200 Loading device
 2 art no 4202 Linebox PLT Mini 2mm nylon
 1 art no 4100 Storage container PLT Mini
 1 Digital and soft copy User Manual
 Typical shooting range with a dry and clean line of 2mm (Art No 4110) and Projectile PLT Mini 100 art no 4101: 100m.
 Typical shooting range with a dry and clean line of 2mm (Art No 4110) and Projectile PLT Mini-rubber art no 4102 : 90m.
 Breaking strength : 190kg
 The PLT Mini is a light version shoulder launched PLT.



Art No	Name and description	Price in NOK
4100	<p>Storage container PLT Mini</p> <p>Water proof container in heavy duty plastic. Easy storage and easy handling. Air and water tight. It even floats in the water. Internal dim. 580x440x220 mm, External dim. 650x510x242mm. 56liter and 8,5kg. Colour orange.</p>	
4101	<p>Projectile PLT Mini 100</p> <p>Projectile PLT Mini made from ABS and aluminum inner tube. Filled with an internal line of 110m (120yd). The projectile floats. Typical shooting range with a dry and clean line of 2mm (Art No 4110): 100m. Breaking strength : 190kg</p>	
4102	<p>Projectile PLT Mini-rubber</p> <p>Soft projectile made from Polyurethan. Used for general line transfer and training. A lightstick can easily be attached for visibility at night. Must be used with an external line or Linebox Art no 4202 . Typical shooting range with a dry and clean line of 2mm (Art No 4110): 90m. Breaking strength : 190kg</p>	
4103	<p>Projectile PLT Mini-sharp grapple</p> <p>Grapple with sharp ends for pick-up. Made from POM and Stainless Steel. The projectile does not float. Typical used with an external line or Linebox Art 4202. Typical shooting range with a dry and clean line of 2mm (Art No 4110): 75m. Breaking strength : 190kg</p>	

Art No	Name and description	Price in NOK
--------	----------------------	--------------

4104 Lightstick for projectile PLT Mini-rubber 5 pcs
 Lightsticks for art no 4102. Provides visibility during night time. Green colour with 6 hours burning time. Comes in 5-pack.



4105 Projectile PLT/Mini-Rescue bouy
 Projectile that contains an automatic inflatable life buoy. Will inflate within 2 sec. after entering the water. Can be used with PLT and PLT Mini. The inflator has an expiry date. Uses 33gram CO2 cartridge.
 Typical shooting range with a dry and clean line of 2mm (Art No 4110) with the PLT Mini: 80m.
 Breaking strength : 190kg
 Typical shooting range with a dry and clean line of 3,2mm(Art No 2103) with the PLT: 115m.
 Breaking strength : 200kg



4106 Projectile PLT Mini-rubber tip
 Rubber tipped plastic projectile that floats. Used for general line transfer or as a training projectile for PLT Mini.
 Typical shooting range with a dry and clean line of 2mm (Art No 4110) with the PLT Mini: 95m.
 Breaking strength : 190kg



4110 Safety line PLT Mini projectiles
 Safety line for all PLT Mini projectiles, 2mm and 90m. Breaking strength 190kg.



Art No	Name and description	Price in NOK
--------	----------------------	--------------

4111 Packings and O-rings PLT Mini Launching unit
Packings and O-rings for PLT Mini.



4113 Projectile-entering grapple 4
Titanium grapple with black plastic coating. For entering constructions. For more information ask for brochure, "Entering solutions".








4114 Projectile PLT Mini-line pick-up grapple
Closed grapple for line pick-up. The closed ends secures the line within the barbes. Made from Stainless Steel and plastic.
Typical shooting range with a dry and clean line of 2mm (Art No 4110) with the PLT Mini: 75m.
Breaking strength : 190kg



4115 Projectile-entering grapple 3
Titanium grapple with 3 tines that are barbed from centre to the tip. One tine can hold 2000kg at the centre and 350kg at the tip before bending. Black plastic coating. For entering constructions. Fits lines up to 9mm for direct climbing after launching. Can be used by PLT and PLT Mini Launching Unit.

Typical shooting range with a dry and clean double line of 3,2mm (Art No 2103) by PLT: 64m
Typical shooting range with a dry and clean double line of 3,2mm (Art No 2103) by PLT Mini: 29m
Using 9mm Technora fibers single line and PLT: 37m
Using 9mm Technora fibers single line and PLT Mini: 16m



Art No	Name and description	Price in NOK
4200	<p>Loading device projectile PLT Mini 100</p> <p>Loading device for reloading the 2mm (Art No 4110) line into art no 4101 and art no 4202. Connect to compressed air 5-10bars (72-145psi).</p>	
4202	<p>Linebox 2mm-nylon line</p> <p>Linebox containing safety line (min 90m of art no 4110). Reloads using loading device Art no 4200. Breaking strength : 190kg</p>	
4207	<p>Quick coupling</p> <p>Quick coupling for using the PLT Mini with compressed air. Fits any standard 5/8" diving cylinder. Reduces the pressure to the correct air pressure. Includes safety valve. With our air cylinder art no 1306/1307, you will get more than 35 shots.</p>	
4303	<p>Launching Tube PLT Mini</p> <p>Launching Tube for PLT Mini.</p>	
5000	<p>PLT 150 complete</p> <p>Linethrower for mooring and general line transfer.</p> <p>Contents:</p> <ul style="list-style-type: none"> 1 Art no 1005 PLT Launching Unit 1 Art no 3303 Launching Tube 150 2 Art no 7004 Projectile PLT 150 1 Art no 5202 Linebox 3,2mm nylon <p>Other options of line on request</p> <p>1 CD/User Manual.</p>	

Art No	Name and description	Price in NOK
--------	----------------------	--------------

Typical shooting range with a dry and clean line with
3,2mm(Art No 2103): 140m
Breaking strength : 200kg.

5001 **PLT 150 US complete**
Same as Art No 5000, certified for the US and
Canadian market (Art No 1006 instead of Art No
1005).



5202 **Linebox 3,2 mm nylon**
Linebox containing 150m (164 yd) of 3,2mm (0.13 in)
(Art No 2103) of line. Used for maximum range for
projectile Art no 7004.
Breaking strength : 200kg



6000 **PLT 75 complete**
Linethrower for mooring and general line transfer.
Contents:
1 Art no 1005 PLT Launching Unit
1 Art no 6303 Launching Tube PLT 75
2 Art no 6101 Projectile Ball
1 Art no 6201 Linebox 5mm floating line
Other options of line on request
1 CD/User Manual.
Typical shooting range with a dry and clean line with
5mm (art no 6109): 90m
Breaking strength : 440kg.



Art No	Name and description	Price in NOK
--------	----------------------	--------------

6001 PLT 75 US complete
Same as Art No 5000, certified for the US and Canadian market (Art No 1006 instead of Art No 1005).



6101 Projectile Ball
Ball projectile for PLT 75 complete. Filled with air and coolant preventing freeze. Typical shooting range with a dry and clean line of 5mm (art no 6109): 90m
Breaking strength : 440kg.



6102 Line 5 mm braided nylon
Line, 120m 5mm (131yd 0.2in) braided nylon.
Breaking strength 600kg.



6103 Line 5 mm braided Dyneema
Line, 100/120m 5mm (109/131yd 0.2in) braided Dyneema (HMPE). Breaking strength 2000kg. Floats and has very little elongation under stress.



6109 Line 5mm Polypropylene
Line, 120m 5mm (131yd 0.2in) Polypropylene.
Breaking strength 440kg. Floats and has a very bright yellow color.



Art No	Name and description	Price in NOK
--------	----------------------	--------------

6200 Loading device complete for 5mm line
 Loading Device for 5mm line. Connect to a low pressure source, 5-8 bars/75-110psi, it will blow the safety line back into the linebox.



6201 Linebox 5mm floating line
 Linebox containing line art no 6109, polypropylene (120m). Breaking strength 440kg. Floats and has a very bright yellow color.



6202 Linebox 5 mm nylon line
 Linebox containing line art no 6102, nylon (120m). Line, 120m 5mm (131yd 0.2in) braided nylon. Breaking strength 600kg.







6203 Linebox 5 mm HMPE
 Linebox containing line art no 6103, HMPE (100/120m). Breaking strength 2000kg. Floats and has very little elongation under stress.



6303 Launching tube PLT 75
 Launching Tube for art no 6101. Typical shooting range with a dry and clean line of 5mm (art no 6109): 90m



Art No	Name and description	Price in NOK
6304	<p>Launching tube PLT 75 extended version Launching Tube for Ball projectile. Typical shooting range with a dry and clean line of 5mm (art no 6109): 110m</p>	
7002	<p>Projectile PLT-line pick-up grapple Closed grapple for line pick-up. The closed ends secures the line within the barbes. Made from Stainless Steel and plastic. Typical shooting range with a dry and clean line of 5mm (art no 6102): 85m</p>	
7003	<p>Projectile PLT 150-lightstick Floating plastic projectile with lightstick holder. 2 lightsticks included. Typical shooting range with a dry and clean line of 5mm (art no 6102): 90m of 3,2mm (art no 5202): 130m.</p>	
7004	<p>Projectile PLT 150 Rubber tipped plastic projectile that floats. Used for general line transfer or as a training projectile. Typical shooting range with a dry and clean line of 5mm (art no 6109): 115m of 3,2mm (art no 2103): 140m.</p>	

Art No	Name and description	Price in NOK
--------	----------------------	--------------

7020 Lightstick Orange, 5 min/10 pc.
5 minutes burning time with full effect. Comes as a 10-pack. Used with Art No 7003.



7021 Lightstick Yellow, 30 min/10 pc
30 minutes burning time with full effect. Comes as a 10-pack. Used with Art No 7003.



7023 Spare rubber tip
For art no 4106 and 7004.



7032 Repacking set Life buoy w/ CO2
Repacking set for life buoy Art No 7035 and Art No 4105. Includes inflator, strips and a 33gram CO2 cartridge. The inflator has an expiry date.



7034 Repacking set Life buoy without CO2
Repacking set for life buoy Art No 7035 and Art No 4105. Includes inflator and strips. The inflator has an expiry date.



Art No	Name and description	Price in NOK
--------	----------------------	--------------

7035 **Rescue Egg**
 Rescue Egg containing an automatically inflatable life buoy. No line attached. Ideal for MOB when ship is moving. The cover acts as a sea anchor. The inflator has an expiry date. Uses 33gram CO2 cartridge.



7036 **Inflator for Rescue bouy**
 The inflator has an expiry date. The inflator is for the art no 4105, 7035 and repacking set for life buoys..




7038 **Quick link ladder connector**
 Minimum order amount 2. Using the optional Ladder Connector the spacing remains the same when joining two ladders (order 2 for the Single Rung Ladder or order 3 for the Double Rung Ladder). CE-EN 362.

7039 **Ladder Single Rung 10m**
 10m, lightweight, noiseless, non conducting, contains no metal parts and presents no radar signal. Built for heavy duty military use in marine environment!
 One end of the ladder has a single attachment point for fast and easy deployment. The other end has a two separate attachment points. You can use this side to put 2 ladders together (with the optional Ladder Connectors) or you can use this side to connect it to two separate anchor points to rig it slightly more stable. Single Rung 200mm width. Rung spacing: 30cm. Using the optional Ladder Connector (art no 7038) the spacing remains the same when joining two ladders (order 2 for the Single Rung Ladder).



Art No	Name and description	Price in NOK
7040	Ladder Single Rung 15m 15m, specifications same as art no 7039.	
7041	Ladder Single Rung 20m 20m, specifications same as art no 7039.	
7042	<p>Ladder Double Rung 15m 15m, lightweight, noiseless, non conducting, contains no metal parts and presents no radar signal. Built for heavy duty military use in marine environment! One end of the ladder has a single attachment point for fast and easy deployment. The other end has a two separate attachment points. You can use this side to put 2 ladders together (with the optional TAGS Ladder Connectors) or you can use this side to connect it to two separate anchor points to rig it slightly more stable. Double Rung 390mm width. Rung spacing: 30cm. Using the optional Ladder Connector (art no 7038) the spacing remains the same when joining two ladders (order 3 for the Double Rung Ladder). The double rung version is faster, more stable and more comfortable to climb than the single rung version. Especially in situations where you must climb downwards.</p>	
7043	Ladder Double Rung 20m 20m, specifications same as art no 7042.	



Art No	Name and description	Price in NOK
--------	----------------------	--------------

8000 **Whale Tagger complete**
 Whale tagger launcher:
 Includes:
 1 art no 1308 Filling adapter
 1 art no 1306 Air cylinder with closing valve
 2 art no 1303 Launching tube
 1 art no 9400 Storage container
 1 Red Dot aiming device
 1 Shoulder support with quick connection
 1 Base unit complete with valves and gauge.



9001 **Turbo oil 165 ml ,PRF 290/220**
 Lubricant, for keeping the line thrower in clean and in good working condition. Used ones a month. Acid and water free.



9002 **Manometer w/ packing**
 Spare manometer with packing for the air cylinder.



9200 **Storage container PLT 75/150 complete**
 Water proof container in heavy duty plastic. Easy storage and easy handling. Fits PLT 75 and 150 models. There are wheels on the container for easy transportation. Air and water tight. It even floats in the water. Internal dim. 580x440x330 mm, External dim. 670x510x372mm. 84liter and 14kg. Colour orange.



Art No	Name and description	Price in NOK
--------	----------------------	--------------

9300 Storage container PLT 125 complete
 Water proof container in heavy duty plastic. Easy storage and easy handling. Fits PLT 125 model. There are wheels on the container for easy transportation. Air and water tight. It even floats in the water. Internal dim. 765x485x305 mm, External dim. 860x560x330mm. 113liter and 16,5kg. Colour orange.



9400 Storage container PLT Rescue 230 complete
 Water proof container in heavy duty plastic. Easy storage and easy handling. It even floats in the water. Fits PLT Rescue 230 complete. Internal dim. 1350x350x135 mm, External dim. 1410x415x159mm. 63,7liter and 12kg. There are wheels on the container for easy transportation. Colour black.






9401 Storage container PLT Mini, 75, 125 and 150
 Water proof container in heavy duty plastic. Easy storage and easy handling. It even floats in the water. Fits PLT Mini, 75, R125 and 150 complete. Internal dim. 939x352x137 mm, External dim. 989x415x157mm. 45liter and 8kg. There are wheels on the container for easy transportation. Colour black.



9500 Storage container deep
 Water proof container in heavy Duty plastic. Easy storage and easy handling. It even floats in the water. Internal dim. 1350x350x272 mm, External dim. 1410x415x296mm. 128,5liter and 16kg. There are wheels on the container for easy transportation. Colour black.



Art No	Name and description	Price in NOK
9900	<p>Bauer Kompressoren PE100-TE 3 phase 100l/min, 400V 50Hz. Delivery time is 3 weeks from ordering. 230V or 60Hz can be ordered with a delivery time of 6 weeks. Ask for price for those specifications. Dimensions is 89x50x49cm and 44kg.</p>	
9901	<p>Bauer Kompressoren PE100-TW Single phase 100l/min, 400V 50Hz. Delivery time is 3 weeks from ordering. 230V or 60Hz can be ordered with a delivery time of 7 weeks. Ask for price for those specifications. Dimensions is 89x50x49cm and app 50kg.</p>	
9902	<p>Bauer Kompressoren PE100-TB 4-stroke petrol 100l/min, 4,2 kW, 5,7 Hp. Delivery time is app 2 weeks from ordering. Dimensions is 89x50x49cm and 42kg.</p>	
9903	<p>Bauer Kompressoren Junior II, 3 phase Compact Line Junior II 100l/min, 400V 60Hz. 230V is an option. Delivery time is 1-3 weeks from ordering. Dimensions is 66x36x42cm and 46kg.</p>	